

## Cattle Implant Comparison Chart

								Approved Uses			
Product	Dose	Duration of Activity	Active Ingredients	Androgenic (mg)	Progesterone (mg)	Estrogenic (mg)	Delivery Agent	Suckling Calves	Stockers	Feedlot	Indications
<b>Component E-C with Tylan</b>	100 ds	100-140 days	100 mg progesterone USP, 10 mg estradiol benzoate and 29 mg tylosin tartrate	0	100 mg	10 mg estradiol benzoate	29 mg tylosin tartrate	Steers			Do not use in bull calves intended for reproduction or calves less than 45 days old
<b>Component E-H with Tylan</b>	100 ds	100-140 days	200 mg testosterone propionate, 20 mg estradiol benzoate and 29 mg tylosin tartrate	200 mg testosterone propionate	0	20 mg estradiol benzoate	29 mg tylosin tartrate			Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Component E-S with Tylan</b>	100 ds	100-140 days	200 mg progesterone USP, 20 mg estradiol benzoate and 29 mg tylosin tartrate	0	200 mg	20 mg estradiol benzoate	29 mg tylosin tartrate	Steers	Steers		Do not use in animals intended for subsequent breeding or in dairy animals
<b>Component TE-200 with Tylan</b>	100 ds	80-90 days	200 mg trenbolone acetate, 20 mg estradiol USP and 29 mg tylosin tartrate	200 mg trenbolone acetate	0	20 mg estradiol USP	29 mg tylosin tartrate			Steers, Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Component TE-G with Tylan</b>	100 ds	100-140 days	40 mg trenbolone acetate, 8 mg estradiol USP and 29 mg tylosin tartrate	40 mg trenbolone acetate	0	8 mg estradiol USP	29 mg tylosin tartrate			Steers, Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Component TE-IS with Tylan</b>	100 ds	120 days	80 mg trenbolone acetate, 16 mg estradiol USP and 29 mg tylosin tartrate	80 mg trenbolone acetate	0	16 mg estradiol USP	29 mg tylosin tartrate			Steers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Component TE-S with Tylan</b>	100 ds	80-90 days	120 mg trenbolone acetate, 24 mg estradiol USP and 29 mg tylosin tartrate	120 mg trenbolone acetate	0	24 mg estradiol USP	29 mg tylosin tartrate			Steers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Compudose</b>	20 ds	170-200 days	25.7 mg estradiol	0	0	25.7 mg estradiol	Silastic rubber w/ oxytetracycline local antibacterial	Steers	Steers	Steers, Heifers	Do not use in animals intended for subsequent breeding
<b>Encore</b>	20 ds	350-400 days	43.9 mg estradiol	0	0	43.9 mg estradiol	Silastic rubber w/ oxytetracycline local antibacterial	Steers	Steers	Steers, Heifers	Do not use in animals intended for subsequent breeding
<b>Ralgro</b>	24 ds	90 days	36 mg zeranol			36 mg zeranol	Lactose	Steers, Heifers	Steers, Heifers	Steers, Heifers	Do not implant bulls intended for reproduction, veal calves or dairy animals

## Cattle Implant Comparison Chart

								Approved Uses			
Product	Dose	Duration of Activity	Active Ingredients	Androgenic (mg)	Progesterone (mg)	Estrogenic (mg)	Delivery Agent	Suckling Calves	Stockers	Feedlot	Indications
<b>Revalor-200</b>	100 ds	120 days	200 mg trenbolone acetate and 20 mg estradiol	200mg trenbolone acetate	0	20 mg estradiol	Cholesterol			Steers, Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Revalor-G</b>	10 ds, 100ds	120 days	40 mg trenbolone acetate and 8 mg estradiol	40 mg trenbolone acetate	0	8 mg estradiol	Cholesterol		Steers, Heifers		Do not use in animals intended for subsequent breeding or in dairy animals
<b>Revalor-H</b>	100 ds	120 days	140 mg trenbolone acetate and 14 mg estradiol	140 mg trenbolone acetate	0	14 mg estradiol	Cholesterol			Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Revalor-IH</b>	100 ds	120 days	80 mg trenbolone acetate and 8 mg estradiol	80 mg trenbolone acetate	0	8 mg Estradiol	Cholesterol			Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Revalor-IS</b>	100 ds	120 days	80mg trenbolone acetate and 16mg estradiol	80mg trenbolone acetate	0	16mg Estradiol	Cholesterol			Steers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Revalor-S</b>	100 ds	120 days	120 mg trenbolone acetate and 24 mg estradiol	120 mg trenbolone acetate	0	24 mg estradiol	Cholesterol			Steers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Revalor-XH</b>	100 ds	200 days	200 mg trenbolone acetate and 20 mg estradiol	200 mg trenbolone acetate	0	20 mg estradiol	Patented X7™ polymer coating			Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Revalor-XS</b>	100 ds	200 days	200 mg trenbolone acetate and 40 mg estradiol	200 mg trenbolone acetate	0	40 mg estradiol	Cholesterol w/ proprietary timed release coating			Steers	Do not use in animals intended for subsequent breeding or in dairy animals
<b>Synovex C</b>	100 ds	120 days	100 mg progesterone and 10 mg estradiol benzoate	0	100 mg	10 mg estradiol benzoate	PEG	Steers, Heifers		Steers	Do not use in bull calves intended for reproduction or calves less than 45 days old
<b>Synovex Choice</b>	100 ds	120 days	100 mg trenbolone acetate and 14 mg estradiol benzoate	100 mg trenbolone acetate	0	14 mg estradiol benzoate	PEG			Steers, Heifers	Do not use in animals intended for subsequent breeding
<b>Synovex H</b>	100 ds	120 days	200 mg testosterone propionate and 20 mg estradiol benzoate	200 mg testosterone propionate	0	20 mg estradiol benzoate	PEG		Heifers	Heifers	Do not use in animals intended for subsequent breeding

## Cattle Implant Comparison Chart

								Approved Uses			
Product	Dose	Duration of Activity	Active Ingredients	Androgenic (mg)	Progesterone (mg)	Estrogenic (mg)	Delivery Agent	Suckling Calves	Stockers	Feedlot	Indications
<b>Synovex One Feedlot</b>	100 ds	200 days	200 mg trenbolone acetate and 28 mg estradiol benzoate	200 mg trenbolone acetate	0	28 mg estradiol benzoate	Porous polymer coating			Steers, Heifers	Do not use in animals intended for subsequent breeding
<b>Synovex One Grass</b>	100 ds	200 days	150 mg trenbolone acetate and 21 mg Estradiol benzoate	150 mg trenbolone acetate	0	21 mg estradiol benzoate	Porous polymer coating		Steers, Heifers (pasture)		Do not use in animals intended for subsequent breeding
<b>Synovex Plus</b>	100 ds	120 days	200 mg trenbolone acetate and 20 mg Estradiol benzoate	200 mg trenbolone acetate	0	20 mg estradiol benzoate	PEG			Steers, Heifers	Do not use in animals intended for subsequent breeding
<b>Synovex S</b>	100 ds	120 days	200 mg progesterone and 20 mg Estradiol benzoate	0	200 mg	20 mg estradiol benzoate	PEG		Steers	Steers	Do not use in animals intended for subsequent breeding