

# Cattle Vaccine Comparison Chart

Safe for Newborn Calves	Safe for Pregnant Cows	DO NOT USE in Pregnant Cows/Calves Nursing Pregnant Cows		IBR	BVD 1	BVD II	PI3	BRSV	Lepto 5-Way	Lepto Hardjo	Vibrio (campylobacter)	Haemophilus Somnus	Pasteurella Multocida	Mannheimia Haemolytica	E. Coli	Coronavirus	Bovine Rotavirus	Salmonella	Clostridia	Clostridia B, C & D	Clostridium 7-Way	Clostridium 8-Way	Clostridium 9-Way	Cl. Perfringens Type A	Tetanus	Mycoplasma Bovis	Moraxella Bovis (Pinkeye)	Moraxella Bovoculi (Pinkeye)	Fusobacterium (Foot Rot)	Papillomavirus (Warts)	Staph Aureus	Klebsiella Pneumoniae	Rabies	Dose	Route of Administration	Slaughter Withdrawal		
<b>Respiratory/Respiratory Combinations</b>																																						
■	◆		Bar Somnus-2P									X	X	X																					2 ml	IM	21 days	
	◆		Bar-Vac-7/Somnus									X									X														5 ml	SQ	21 days	
■	◆		Bovi-Sera Serum Antibodies										X	X	X			X																	20 ml	IM, SQ	21 days	
♥	●		Bovi-Shield Gold 5	L	L	L	L	L																											2 ml	IM, SQ	21 days	
♥	●		Bovi-Shield Gold BVD		L	L																													2 ml	IM, SQ	21 days	
♥	●		Bovi-Shield Gold FP 5	L	L	L	L	L																											2 ml	IM, SQ	21 days	
♥	●		Bovi-Shield Gold FP 5 L5	L	L	L	L	L	X																										2 ml	IM	21 days	
♥	●		Bovi-Shield Gold FP 5 L5 HB	L	L	L	L	L	X	X																									2 ml	IM, SQ	21 days	
♥	●		Bovi-Shield Gold FP 5 VL5	L	L	L	L	L	X		X																								2 ml	IM	21 days	
♥	●		Bovi-Shield Gold IBR-BVD	L	L	L																													2 ml	IM, SQ	21 days	
♥	●		Bovi-Shield Gold One Shot	L	L	L	L	L							X																				2 ml	SQ	21 days	
■	◆		Bovilis Nasalgen 3	L			L	L																											2 ml	IN	21 days	
■	◆		Bovilis Nasalgen 3-PMH	L			L	L					C	C																					2 ml	IN	21 days	
■			Bovilis Vista BVD CFP		L	L																													2 ml	SQ	21 days	
	◆		CattleMaster 4+VL5	L	X		L	L	X		X																								5 ml	IM	21 days	
■	◆		CattleMaster Gold FP 5	L	X	X	L	L																											2 ml	SQ	21 days	
■	◆		CattleMaster Gold FP 5 L5	L	X	X	L	L	X																										5 ml	SQ	21 days	
	♥		Express 5	L	L	L	L	L																											2 ml	SQ	21 days	
	♥		Express 5-HS	L	L	L	L	L				X																							2 ml	SQ	21 days	
	♥		Express FP 5-VL5	L	L	L	L	L	X	X	X																								2 ml	IM, SQ	21 days	
	♥		Express FP 10	L	L	L	L	L	X	X																									2 ml	IM, SQ	21 days	
■	◆		Inforce 3	L			L	L																											2 ml	IN	21 days	
	◆		Mannheimia Haemolytica										X	X																					2 ml	SQ	21 days	
	◆		Master Guard 10 HB	X	X	X	L	L	X	X																									3 ml	IM, SQ	21 days	
	◆		Myco-B One Dose																								X								2 ml	SQ	60 days	
■	◆		Nasalgen IP	L			L																												2 ml	IN	21 days	
			Nuplura PH												X																				2 ml	SQ	60 days	
		√	Nuplura PH +3	L	L	L									X																				2 ml	SQ	60 days	
		√	Nuplura PH +BVD		L	L									X																				2 ml	SQ	60 days	
■	◆		Once PMH IN											C	C																				2 ml	IN	21 days	
■	◆		Once PMH SQ											C	C																				2 ml	SQ	21 days	
■	◆		One Shot												X																				2 ml	SQ	21 days	
♥	●		One Shot BVD		L	L									L																				2 ml	SQ	21 days	
		√	PregGuard Gold FP 10	L	L	L	L		X		X																								2 ml	IM	21 days	
	◆		Presponse HM										X	X																					2 ml	IM	21 days	
	◆		Presponse SQ												X																				2 ml	SQ	21 days	
	◆		Pulmo-Guard PH-M										X	X																					2 ml	SQ	21 days	
	◆		Pulmo-Guard PHM-1										X	X																					2 ml	SQ	60 days	
	●		Pyramid 5	L	L	L	L	L																											2 ml	SQ	21 days	
	●		Pyramid 5 + Presponse SQ	L	L	L	L	L							X																				2 ml	SQ	21 days	
♥	●		Pyramid 10	L	L	L	L	L	X																										2 ml	IM, SQ	21 days	
			RESPIVax 3 + PH-M	L	L	L									L	L																			2 ml	SQ	21 days	
			RESPIVax 5	L	L	L	L	L																												2 ml	SQ	21 days
			RESPIVax 5 + PH-M	L	L	L	L	L							L	L																			2 ml	SQ	21 days	
■			Somnu Shield									X																							2 ml	IM, SQ	21 days	
■	◆		Somubac									X																							2 ml	SQ	21 days	
		√	Titanium 3	L	L	L																													2 ml	IM, SQ	21 days	
	♥		Titanium 5	L	L	L	L	L																											2 ml	SQ	21 days	
	♥		Titanium 5 L5 HB	L	L	L	L	L	X	X																									2 ml	SQ	21 days	
	◆		Triangle 4+PH-K	X	X		X	X							X																				5 ml	SQ	21 days	
	◆		Triangle 5	X	X	X	X	X																											2 ml	IM, SQ	21 days	



# Cattle Vaccine Comparison Chart

Safe for Newborn Calves	Safe for Pregnant Cows	DO NOT USE in Pregnant Cows/Calves Nursing Pregnant Cows	Vaccine Name	IBR	BVD 1	BVD II	PI3	BRSV	Lepto 5-Way	Lepto Hardjo	Vibrio (campylobacter)	Haemophilus Somnus	Pasteurella Multocida	Mannheimia Haemolytica	E. Coli	Coronavirus	Bovine Rotavirus	Salmonella	Clostridia	Clostridia B, C & D	Clostridium 7-Way	Clostridium 8-Way	Clostridium 9-Way	Cl. Perfringens Type A	Tetanus	Mycoplasma Bovis	Moraxella Bovis (Pinkeye)	Moraxella Bovoculi (Pinkeye)	Fusobacterium (Foot Rot)	Papillomavirus (Warts)	Staph Aureus	Klebsiella Pneumoniae	Rabies	Dose	Route of Administration	Slaughter Withdrawal		
																																					L Modified Live Vaccine X Killed Vaccine C Avirulent Live Culture ◆ Safe for Pregnant Cows ◆ Safe for Newborn Calves ◆ Safe for newborn calves if dam vaccinated prebreeding according to label ◆ Safe for pregnant cow if vaccinated prebreeding according to label ◆ Safe for pregnant cows or calves nursing pregnant cows if females were vaccinated pre-breeding according to label	
◆			ReproSTAR VL5 HB						X	X	X																							2 ml	IM	60 days		
◆	◆		Spirovac							X																								2 ml	SQ	21 days		
◆	◆		Spirovac L5						X	X																								2 ml	IM, SQ	21 days		
◆	◆		Spirovac VL5						X	X	X																							5 ml	IM, SQ	21 days		
◆	◆		StayBred VL5						X	X																								2 ml	IM	21 days		
◆	◆		VL5 SQ						X	X	X																							2 ml	SQ	21 days		
◆	◆		Vib Shield Plus L5						X	X																								2 ml	IM	60 days		
<b>Pinkeye</b>																																						
◆	◆		20/20 Vision 7 with SPUR																		X						X							2 ml	SQ	21 days		
◆	◆		Alpha-7/MB-1																		X						X							2 ml	SQ	60 days		
◆	◆		I-Site XP																								X							2 ml	SQ	21 days		
◆	◆		Moraxella Bovoculi Bacterin - AgriLabs																									X						2 ml	SQ	21 days		
◆	◆		Moraxella Bovoculi Bacterin - Merck																									X						2 ml	SQ	21 days		
◆	◆		Ocu-guard MB-1																								X							2 ml	SQ	21 days		
◆	◆		Piliguard Pinkeye-1 TRIVALENT																								X							2 ml	IM, SQ	60 days		
◆	◆		Piliguard Pinkeye +7																		X						X							5 ml	SQ	21 days		
◆	◆		Pinkeye Shield XT4																								X							2 ml	IM	60 days		
◆	◆		Solidbac Pinkeye IR/PR																								X							--	SQ	21 days		
<b>Scours</b>																																						
◆	◆		Bovilis Coronavirus													X																		2 ml	IN	21 days		
◆	◆		Bovine Pili Shield+C												X			X																1 ml	IM	60 days		
◆	◆		Calf-Guard													L	L																	3 ml	O	21 days		
◆	◆		First Defense Boluses												X	X																		1 bol	O	0 days		
◆	◆		First Defense Dual-Force												X	X																		1 ds	O	0 days		
◆	◆		First Defense Technology Concentrate												X	X																		1 scp	O	0 days		
◆	◆		First Defense Tri-Shield												X	X	X																	1 ds	O	0 days		
◆	◆		Guardian												X	X	X	X																2 ml	SQ	60 days		
◆	◆		Scour Bos 4												X	X																		2 ml	IM	60 days		
◆	◆		Scour Bos 9												X	X	X	X																2 ml	IM	60 days		
◆	◆		ScourGuard 4K												X	X	X																	2 ml	IM	21 days		
◆	◆		ScourGuard 4KC												X	X	X	X																2 ml	IM	21 days		
<b>Mastitis Prevention</b>																																						
◆	◆		Bovilis J-5												X																			5 ml	SQ	60 days		
◆	◆		ENDOVAC-Beef										X	X	X			X																2 ml	IM	21 days		
◆	◆		ENDOVAC-Dairy										X	X	X			X																2 ml	IM	21 days		
◆	◆		Enviracor J-5												X																			5 ml	SQ	60 days		
◆	◆		J-Vac												X																			2 ml	IM, SQ	21 days		
◆	◆		Vaxxon SRP Klebsiella																											X				2 ml	SQ	60 days		
<b>Footrot &amp; Warts</b>																																						
◆	◆		Fusogard																									X						2 ml	SQ	21 days		
◆	◆		Serpens Species Bacterin																										X					5 ml	SQ	21 days		
◆	◆		Wart Vaccine																										X					10 ml	SQ	21 days		
<b>Tetanus</b>																																						
◆	◆		Tetanus Antitoxin																							X								5 ml	IM, SQ	21 days		
◆	◆		Tetanus Toxoid Concentrate																							X								1 ml	IM	21 days		
<b>Rabies</b>																																						
◆	◆		Imrab 3																											X				2 ml	IM, SQ	21 days		
◆	◆		IMRAB Large Animal																											X				2 ml	IM, SQ	21 days		
◆	◆		Nobivac 3-Rabies																											X				2 ml	IM	21 days		