

Cattle Implant Comparison Chart

								Approved Uses			
Product	Dose	Duration of Activity	Active Ingredients	Androgenic (mg)	Progesterone (mg)	Estrogenic (mg)	Delivery Agent	Suckling Calves	Stockers	Feedlot	Indications
Component E-C with Tylan	100 ds	100-140 days	100 mg progesterone USP, 10 mg estradiol benzoate and 29 mg tylosin tartrate	0	100 mg	10 mg estradiol benzoate	29 mg tylosin tartrate	Steers			Do not use in bull calves intended for reproduction or calves less than 45 days old
Component E-H with Tylan	100 ds	100-140 days	200 mg testosterone propionate, 20 mg estradiol benzoate and 29 mg tylosin tartrate	200 mg testosterone propionate	0	20 mg estradiol benzoate	29 mg tylosin tartrate			Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
Component E-S with Tylan	100 ds	100-140 days	200 mg progesterone USP, 20 mg estradiol benzoate and 29 mg tylosin tartrate	0	200 mg	20 mg estradiol benzoate	29 mg tylosin tartrate	Steers	Steers		Do not use in animals intended for subsequent breeding or in dairy animals
Component TE-200 with Tylan	100 ds	80-90 days	200 mg trenbolone acetate, 20 mg estradiol USP and 29 mg tylosin tartrate	200 mg trenbolone acetate	0	20 mg estradiol USP	29 mg tylosin tartrate			Steers, Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
Component TE-G with Tylan	100 ds	100-140 days	200 mg trenbolone acetate, 20 mg estradiol USP and 29 mg tylosin tartrate	40 mg trenbolone acetate	0	8 mg estradiol USP	29 mg tylosin tartrate		Steers, Heifers		Do not use in animals intended for subsequent breeding or in dairy animals
Component TE-IH with Tylan	100 ds	120 days	80 mg trenbolone acetate, 8 mg estradiol USP and 29 mg tylosin tartrate	80 mg trenbolone acetate	0	8 mg estradiol USP	29 mg tylosin tartrate			Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
Component TE-IS with Tylan	100 ds	120 days	80 mg trenbolone acetate, 16 mg estradiol USP and 29 mg tylosin tartrate	80 mg trenbolone acetate	0	16 mg estradiol USP	29 mg tylosin tartrate			Steers	Do not use in animals intended for subsequent breeding or in dairy animals
Component TE-S with Tylan	100 ds	80-90 days	120 mg trenbolone acetate, 24 mg estradiol USP and 29 mg tylosin tartrate	120 mg trenbolone acetate	0	24 mg estradiol USP	29 mg tylosin tartrate			Steers	Do not use in animals intended for subsequent breeding or in dairy animals
Compudose	20 ds	170-200 days	25.7 mg estradiol	0	0	25.7 mg estradiol	Silastic rubber w/ oxytetracycline local antibacterial	Steers	Steers	Steers, Heifers	Do not use in animals intended for subsequent breeding
Encore	20 ds	350-400 days	43.9 mg estradiol	0	0	43.9 mg estradiol	Silastic rubber w/ oxytetracycline local antibacterial	Steers	Steers	Steers, Heifers	Do not use in animals intended for subsequent breeding
Ralgro	24 ds	90 days	36 mg zeranol			36 mg zeranol	Lactose	Steers, Heifers	Steers, Heifers	Steers, Heifers	Do not implant bulls intended for reproduction, veal calves or dairy animals

Cattle Implant Comparison Chart

								Approved Uses			
Product	Dose	Duration of Activity	Active Ingredients	Androgenic (mg)	Progesterone (mg)	Estrogenic (mg)	Delivery Agent	Suckling Calves	Stockers	Feedlot	Indications
Revalor-200	100 ds	120 days	200 mg trenbolone acetate and 20 mg estradiol	200mg trenbolone acetate	0	20 mg estradiol	Cholesterol			Steers, Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
Revalor-G	10 ds, 100ds	120 days	40 mg trenbolone acetate and 8 mg estradiol	40 mg trenbolone acetate	0	8 mg estradiol	Cholesterol		Steers, Heifers		Do not use in animals intended for subsequent breeding or in dairy animals
Revalor-H	100 ds	120 days	140 mg trenbolone acetate and 14 mg estradiol	140 mg trenbolone acetate	0	14 mg estradiol	Cholesterol			Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
Revalor-IH	100 ds	120 days	80 mg trenbolone acetate and 8 mg estradiol	80 mg trenbolone acetate	0	8 mg Estradiol	Cholesterol			Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
Revalor-IS	100 ds	120 days	80mg trenbolone acetate and 16mg estradiol	80mg trenbolone acetate	0	16mg Estradiol	Cholesterol			Steers	Do not use in animals intended for subsequent breeding or in dairy animals
Revalor-XH	100 ds	200 days	200 mg trenbolone acetate and 20 mg estradiol	200 mg trenbolone acetate	0	20 mg estradiol	Patented X7™ polymer coating			Heifers	Do not use in animals intended for subsequent breeding or in dairy animals
Revalor-XS	100 ds	200 days	200 mg trenbolone acetate and 40 mg estradiol	200 mg trenbolone acetate	0	40 mg estradiol	Cholesterol w/ proprietary timed release coating			Steers	Do not use in animals intended for subsequent breeding or in dairy animals
Synovex C	100 ds	120 days	100 mg progesterone and 10 mg estradiol benzoate	0	100 mg	10 mg estradiol benzoate	PEG	Steers, Heifers		Steers	Do not use in bull calves intended for reproduction or calves less than 45 days old
Synovex Choice	100 ds	120 days	100 mg trenbolone acetate and 14 mg estradiol benzoate	100 mg trenbolone acetate	0	14 mg estradiol benzoate	PEG			Steers, Heifers	Do not use in animals intended for subsequent breeding
Synovex H	100 ds	120 days	200 mg testosterone propionate and 20 mg estradiol benzoate	200 mg testosterone propionate	0	20 mg estradiol benzoate	PEG		Heifers	Heifers	Do not use in animals intended for subsequent breeding
Synovex One Feedlot	100 ds	200 days	200 mg trenbolone acetate and 28 mg estradiol benzoate	200 mg trenbolone acetate	0	28 mg estradiol benzoate	Porous polymer coating			Steers, Heifers	Do not use in animals intended for subsequent breeding
Synovex One Grass	100 ds	200 days	150 mg trenbolone acetate and 21 mg Estradiol benzoate	150 mg trenbolone acetate	0	21 mg estradiol benzoate	Porous polymer coating		Steers, Heifers (pasture)		Do not use in animals intended for subsequent breeding

Cattle Implant Comparison Chart

								Approved Uses			
Product	Dose	Duration of Activity	Active Ingredients	Androgenic (mg)	Progesterone (mg)	Estrogenic (mg)	Delivery Agent	Suckling Calves	Stockers	Feedlot	Indications
Synovex Plus	100 ds	120 days	200 mg trenbolone acetate and 20 mg Estradiol benzoate	200 mg trenbolone acetate	0	20 mg estradiol benzoate	PEG			Steers, Heifers	Do not use in animals intended for subsequent breeding
Synovex S	100 ds	120 days	200 mg progesterone and 20 mg Estradiol benzoate	0	200 mg	20 mg estradiol benzoate	PEG		Steers	Steers	Do not use in animals intended for subsequent breeding